

FR BAMBOO

## A Practitioner of Natural lifestyle

Expand exceptional natural bamboo  
products to your dialy life

— Construction Items



FR BAMBOO

**Xiamen Forever Rise Imp.  
and Exp. Co., Ltd**

🌐 [www.bamboopanelschina.com](http://www.bamboopanelschina.com)  
<https://pxbamboo.en.made-in-china.com/>  
[www.chinabamboopanel.com](http://www.chinabamboopanel.com)


📍 6-12, Jinshan Garden , Huli District,  
Xiamen City,  
361000, Fujian Province China.

✉ [marcehuang@chinabamboopanel.com](mailto:marcehuang@chinabamboopanel.com)


☎ +86 18759229120 , +86 592 5567602 ,  
+86 592 5334829

THE CATALOGUE OF  
**INDOOR BAMBOO FLOORING**

**Indoor Solid Bamboo Flooring – 1030 x 130 x 17mm – Price : 13.70 usd / m2 –Horizontal bamboo Grains**



Honed Finished – With Scattered bamboo knots –Natural color




Honed Finsihed – With Alingned Bamboo knots – Natural color




Glossy Finished – With Scattered bamboo knots – Natural color



Glossy Finsihed – With Alingned Bamboo knots – Natural color




Honed Finished – With Scattered bamboo knots –Teak wood color




Glossy Finsihed – With Alingned bamboo knots – DarkerTeak wood color

**Indoor Solid Bamboo Flooring – 1030 x 130 x 17mm – Price : 14.92 usd / m2 – Horizoztantal bambo grains**




Honed Finsihed –With Aligned bamboo Knots – Red Pomelo color



Honed Finsihed –With Aligned bamboo Knots – Yellow Pomelo color



Glossy Finished – With Alingned bamboo knots – Red Maple Wood color




Glossy Finished – With Scattered bamboo knots – Chocolate

**Indoor Solid Bamboo Flooring – 1030 x 130 x 16mm – Price : 19.26 usd / m2 –.Vertical bamboo grains**




Honed Finished – with Scattered bamboo knots –Natural color ( light Carbonized )



Honed Finished – with Scattered bamboo knots –Natural color ( Dark Carbonized )

**Indoor Strand Woven Bamboo Flooring – 1850 / 920 x 132 x 14mm – Price : 22.28 usd / m2 –composited bamboo grains**



Matt finished – Cham–pagne Color



Matt Finished – Choco–late color

THE CATALOGUE OF  
**INDOOR BAMBOO FLOORING**

**Transition molding pieces between uneven laminate flooring – Solid bamboo molding pieces**



Skirting molding 2000\*80\*15mm price : 3.95 usd / piece



Reducer molding 2000\*50\*17mm price : 4.03 usd / piece



Quarter Round molding 2000\*15\*15mm price:" 1.95 usd / piece



T–molding molding 2000\*50\*15mm price: 3.85 usd / piece



Threshold molding 2000\*50\*24 price: 5.99 usd / piece



Threshold molding 2000\*30\*15mm price: 3.39 usd / piece



Stairnose / Bull nose molding 2000\*100\*17mm. price: 9.01 usd /piece

**Transition molding pieces between uneven laminate flooring – Strand Woven bamboo molding pieces**



Reducer molding 1850\*92\*14mm. Price:6.78 usd / piece



Reducer Molding 1850\*50\*14mm price: 5.76 usd /piece



Shoe Molding 1850\*19\*19mm price: 4.57 usd / piece




T – molding 1850\*50\*14mm price: 5.82 usd /piece

























Threshold molding 1850\*50\*24mm. price: 8.01 usd/piece



Bull Nose molding 1850\*92\*14mm price: 12.38 usd/piece





Expand exceptional natural bamboo products to your dialy life




Indoor grade wall panels – Treat with UV paint				
Styles	Section Image	Code NO.	Dimensions	Price(USD/m <sup>2</sup> )
		N001-C9BS	2000*123*9mm	14.88
			3000*123*9mm	16.80
		N002-C9BS	2000*123*9mm	14.88
			3000*123*9mm	16.80
		N003-C9BS	2000*123*9mm	14.88
			3000*123*9mm	16.80
		N006-C9BS	2000*123*9mm	14.88
			3000*123*9mm	16.80
		N007-C9BS	2000*123*9mm	14.88
			3000*123*9mm	16.80
		N008-C9BS	2000*123*9mm	14.88
			3000*123*9mm	16.80
		N008-C9XGLL	2000*123*9mm	14.88
			3000*123*9mm	16.80
		N022-C9BS	2000*123*9mm	14.88
			3000*123*9mm	16.80
		N023-C9BS	2000*123*9mm	14.88
			3000*123*9mm	16.80
		N005-C20BS	2000*103*20mm	28.00
			2900*103*20mm	31.20
		N011-C15BS	2000*123*15mm	28.00
			2900*123*15mm	30.40

Styles	Section Image	Code NO.	Dimensions	Price(USD/m <sup>2</sup> )
		N012-C15BS	2000*104*15mm	28.00
			3000*104*15mm	30.40
		N016-C20BS	2000*103*20mm	28.80
			3000*103*20mm	31.20
		N028-C15BS	2000*148*15mm	28.80
			3000*148*15mm	31.20
		N028-C14ZZ	1860*148*15mm	28.00
			3000*148*15mm	44.00
		N018-C18KBS	2000*141*18mm	28.80
			2900*141*18mm	31.20
		N018-C18PBS	2000*140*18mm	28.80
			2900*140*18mm	31.20
		N018-C18PBS	2000*140*18mm	28.80
			2900*140*18mm	31.20
		W018-C18KQH	2000*141*18mm	29.60
			2900*141*18mm	32.00
		W018-C18KBLG	2000*141*18mm	29.60
			2900*141*18mm	32.00

Outdoor grade wall panels – Treat with Water-Basic Kora Oil or Painting

Styles	Section Image	Code NO.	Dimensions	Price(USD/m <sup>2</sup> )
		W602-C9QH	2000*140*9mm	15.68
			2900*140*9mm	19.52

THE CATALOGUE OF  
**INDOOR BAMBOO WALL /CEILING**

Styles	Section Image	Code NO.	Dimensions	Price(usd/m2)
		W602-C9BLG	2000*140*9mm	15.68
			2900*140*9mm	19.52
		W602-C9LM	2000*140*9mm	15.68
			2900*140*9mm	19.52

Indoor grade – Bamboo Acoustic Panel – UV Painting				
Styles	Section Image	Code NO.	Dimensions	Price(usd/m2)
		N801-C20	2000*150*20mm	40.80
			2500*150*20mm	44.00
		N802-C20	2000*200*20mm	44.00
			2500*200*20mm	47.20
		N803-CZ20	2000*200*20mm	55.20
			2500*200*20mm	58.40

Indoor Grade – Solid bamboo Transition molding pieces for wall panels				
Styles	Section Image	Code NO.	Dimensions	Price(usd /pc)
		Wall Corner Protector – L Molding	2000*40*40mm	6.07
		Wall Edge Protector–small L molding	2000*30*15mm	2.95
		Quarter Round Molding	2000*15*15mm	2.45
		Wall Edge Protector–big L molding	2000*50*20mm	4.93

THE CATALOGUE OF  
**Natural Bamboo Woven Matting Sheet**



Natural Mao Bamboo Woven Matting Sheet for Ceiling / Wall Decorations which high popular install in Hotel, Bar, Restaurant, Saloon, Holiday Villa etc. Carbonization treatment make a beautiful and natural carbonized bamboo color, also make good effect on Anti-termite and anti-fungi. Surface can be stained with plant oil or painting to prevent from any dirty or mouldy or moisture..

Bamboo Strips can get Light Carbonized & Dark Carbonized 2 colors. which can be mixed 2 colors in one sheet design.

Bamboo strips width normal is 15mm, 20mm, 30mm.






Standard woven sheet size is 1250 x 2500mm , but width and length can customized produce such as length to 10 meter even up.

Thickness is 0.6mm to 0.95mm depend on different design.

Which can laminated to wood plywood if project need.

Roll-up packages save shipping space and freight .

Woven Matting Styles	Roll – Up Packages
           	

Finished Bamboo Woven Sheet				
				

Price : (FOB xiamen port , China)	
Single Color thickness 0.6–0.65mm	2 colors Mixed with thickness 0.9–0.95mm
Bamboo Strip width 15mm, price = 16.10 usd /m2	Bamboo Strip width 15mm, price = 18.07 usd /m2
Bamboo Strip width 20mm, price = 13.30 usd /m2	Bamboo Strip width 20mm, price = 15.28 usd /m2
Bamboo Strip width 20mm, price = 12.49 usd /m2	Bamboo Strip width 20mm, price = 14.45 usd /m2

Outdoor Strand woven Decking ( Light Brown, Middle Brown, Dark Brown, Black ), High density: 1250 kgs/m3



Middle Groove



Polished



Gig Groove




Small Groove

1. Deep Anti-Fungi Treatment, with warranty span 25 years.

	Price (usd/m2)– Light Brown / Middle Brown/ Dark Brown	Price (usd/m2)– Black color		Price (usd/m2)– Light Brown / Middle Brown/ Dark Brown	Price (usd/m2)– Black color
1860 x 103 x 12	26.40	29.54	1860 x 139 x 30	51.07	58.93
1860 x 139 x 18	31.74	36.46	2000 x 139 x 30	51.07	58.93
2000 x 139 x 18	31.74	36.46	2500 x 139 x 30	51.86	62.07
2500 x 139 x 18	32.53	39.60	1860 x 139 x 40	67.57	78.57
1860 x 139 x 20	33.79	40.07	2000 x 139 x 40	67.57	78.57
2000 x 139 x 20	33.79	40.07	2500 x 139 x 40	68.36	81.71
2500 x 139 x 20	34.57	44.79			

2. Surface Anti-Fungi Treatment, With warranty span 15 year

	Price (usd/m2)– Light Brown / Middle Brown/ Dark Brown	Price (usd/m2)– Black color		Price (usd/m2)– Light Brown / Middle Brown/ Dark Brown	Price (usd/m2)– Black color
1860 x 103 x 12	23.57	26.71	1860 x 139 x 30	44.00	51.86
1860 x 139 x 18	27.50	32.21	2000 x 139 x 30	44.00	51.86
2000 x 139 x 18	27.50	32.21	2500 x 139 x 30	44.79	55.00
2500 x 139 x 18	28.29	35.36	1860 x 139 x 40	58.14	69.14
1860 x 139 x 20	29.07	35.36	2000 x 139 x 40	58.14	69.14
2000 x 139 x 20	29.07	35.36	2500 x 139 x 40	58.93	72.29
2500 x 139 x 20	29.86	40.07			



Clips /Screws

The distance between each joist normal is 450–500mm. each panel need 5–6 sets of clips / screws. Stainless Clips and Screws, clips galvanizing treatment . 0.1 usd / set .

Declaration of Performance

Outdoor Grade Strand Woven Bamboo:




<b>Color</b>	Light Carbonized ( yellow, brown, merbau etc) / dark Darbonized ( black )
<b>Materials</b>	Natural strand woven bamboo with Plant name phyllostachys pubescens
<b>Processing Pressed</b>	Hot pressed
<b>Painting and UV</b>	Water-based Oil ( Woca or Civia etc)

Technical Data	Testing Result	Testing Standard
Moisture content	Ave.: 9.0%	GB/T 30364–2013 Section 6.3.3
		& GB/T 17657–2013 Section 4.3
Hardness	Everage : 129 HB(N/mm2)	EN 1534:2010
Slip resistant classification	Average (SRV) : 34, P2	Tests were carried out in accordance with Apendix A AS 4586:2013.
		the classification is based on a test in the wet condition Coefficient offriction obtained from: AS/NZS 36611:1993 Slip Resistance of Pedestrian Surfaces.
Fire Retardant Classification	Classification: B–s1, d0 Fire classification of construciton	EN13501–1:2018 Fire Classification of construction products and building elements – part 1: classification using data from reaction to fire tests
Flamed spread Index	Class A	ASTM–E84
Glue	D3 water Resistant	With reference to :GB/T 17657 2013 Section 4.59
Formaldehyde essimion	Less than 0.1mg/L	
Swelling in thickness after immersion in water	0.40%	EN 317:1993
Bending Strength and	Bending strength:127.7MPa	Refer to EN 408:2010+A1:2012; Section 10 & Section 19
Modulus(Four–point bending)	Elasticity modulus:17068MPa	Refer to EN 408:2010+A1:2012; Section 10 & Section 19
Anti–Fungi Testing	0 rating – No fungi growth apperante under 50 times magnification with a test condition : 28 days, 90% RH, 28°C	JC/T 2039–2010 Antibacterial and Mildew– proof wooden boards for decoration Appendix B: Mildew resistance test method
Crossion Resistance and	Grade I ( Strong corrosion Resistance )	GB/T 13942.1–2009 The corrosioin resistanttest method
Blue Stain Resistance	Class 0	EN 152
CO2 Neural	Complies with the requirements of carbon neuturalizing management systems	CTS Q / ZG 018 –2022 Registration number: ZGC23CNS00004ROM

# THE CATALOGUE OF OUTDOOR STRAND WOVEN CLADDING

## 1. 1860 x 103 x 8mm / 10mm / 12mm

Sides shape: four sides flat.  
Installation: Directly Screws on the center of deck end.  
Finish: Outdoor grade – Water– based Woca Oiled or Paint .



Size	Edge Shapes	Price (usd/m2)
1860 x 103 x 8 mm	Flat sides ( Light /Middle / Dark Brown color)	23.10
1860 x 103 x 10 mm	Flat sides	22.79
1860 x 103 x 12 mm	Flat sides	25.60

## 2. 1860 x103 x 12mm and 1860 / 2000 / 2500 x 139 x 18mm


Sides Shape: one side grooved, one side card slot or T&G locks.  
Installation: Stainless Steel Clips.  
Finish: Outdoor grade – Water– based Woca Oiled or Paint.



Size	Edge Shapes	Price (usd/m2)
1860 x 103 x 12mm	one side grooved, one side card slot	25.60
1860 x 140 x 18mm	one side grooved, one side card slot or T&G locks	31.75
2000 x 140 x 18mm	one side grooved, one side card slot or T&G locks	31.75
2500 x 140 x 18mm	one side grooved, one side card slot or T&G locks	32.53

Colors available from Light Brown, Middle Brown, Dark Brown, and Black Charcoal etc. as required.

FR03 installation :                      FR02-1/ FR02-2 installation:                      FR-01 installation:



### Notice:

All Exterior wall cladding or outdoor Facade panels are extremetly grade offered here, which deep anti–fungi treatment and warranty of 25 years.  
Price can be reduce if quality level adjust to only Surface Anti–Fungi Treatment.  
Price for Back Charcoal , cost is higher @ 2.75 usd /m2 .  
Other Techinical Data please refer. to Outdoor Stand Wovan Decking data, which is same quality standard.

# THE CATALOGUE OF OUTDOOR STRAND WOVEN LUMBER



Stand Woven Bamboo Lumbers / Beams/Joist.  
Outdoor Grade.

Anti– corrosion.  
High density 1200–1250 kgs /m3.  
Natural Bamboo Materials.


Sizes can be customized and normal sizes as:

1860 / 2000/ 2500\*139\*20 mm;    1860 / 2000 / 2500 \*100\*30 mm;  
1860 / 2000 / 2500 \*40\*40 mm;    1860 / 2000 / 2500 \* 60\*40 mm;  
1860 / 2000 / 2500\*40\*40 mm

Price refer to : 1415 – 1885 usd per cubic meter. FOB China




Stained with Eco–friendly Water– Based Paint or Kora Oiled , Light Brown Carbonization Color or Dark Black Charcoal color )




- Strand Woven Joist used as Support Beams for Deck.
- Natural color stained with water–based Clean Varnish



Strand Woven Bamboo Beams used as Wall Lattice.



Strand Woven Wood beams used for Bench(Kora oiled color).



Strand Woven Bamboo Wall Grill Screen / Lattice / Wall Fence



Composited Bamboo – Strand woven beams are perfect lumbers for Varios of Outdoor Fence used in Balcony/ Patio/ Terrace/ Garden/ Park / Square/ Engineer Project/ Outdoor Application etc.



For length over 2500mm, which need to joist pieces to overlenth.

THE CATALOGUE OF  
**OUTDOOR HORSE STABLE BOARDS**



Outdoor Grade Strand Woven Bamboo Boards for Horse Stable and Horse Barn.

Surface Treatment: Carbonized & Stained water-based outdoor grade Kora Oiled or Woca oiled.

Size : 930\*140\*30 mm ; 30\*140\*40 mm ; 1100\*140\*30 mm ;  
1100\*140\*40 mm ; 1250\*140\*30 mm ; 1250\*140\*40 mm ;  
1860 x 140 x 32 ; 1860 x 140 x 28mm

Sides: Tongue and Groove

**Bamboo Board styles for Horse stable need :**



Strand Woven bamboo board used in horse stable / without air vent.

Strand Woven bamboo board used in horse stable / with air vent.

**Price refer :** Strand Woven Bamboo horse box planks with Air Vent , price : 1325.00 usd/m3.  
Strand Woven Bamboo horse box planks with NO air vent , price : 1280 usd / m3.

**Price term :** FOB Chia port.

**Density :** 1200-1250 kgs /m3.

**Treatment :** Anti-corrosion and Fire resistance.

**Warranty :** 20 years.



**PROFESSIONAL AND FOCUS**

FR Bamboo means Forever Rise Bamboo company , we only focus on natural moso bamboo full sereies products from very origin place, to setup an eco -freindly, healthy, effective, high quality but competitive price bamboo sources for clients all over the wold.

**HIGH STANDARD**

We only produce moso bamboo from FSC well managed forests, We prodcue strickly according to national and international testing standard requirement.

**COMPLETE CATEGORIES**

We have full set of bamboo processing lines from raw bamboo plants to finished bamboo home appliances, from indoor house flooring to outdoor construction decking. From popular designed commercial bamboo home prodcuts such as kitchen utensils, table top, chopping board, pizza board, drawer organizer , bamboo skewer, bamboo sticks, bamboo spoon sets , salad bowl etc ...to indoor flooring , outdoo decking , bench and table top etc. And OEM for personalized bamboo items with personal-ized laser logo and package etc, very specific character.